

AMENDMENTS TO THE CLAIMS

E | Claims 1-11 (Canceled)

Claim 12 (Currently Amended): A method of making a anti-laceration automobile side window glazing comprising adhering two sheets of glass adapted to fit an automobile side window with an intercalary adhesive layer, wherein

said intercalary adhesive layer has a thickness of more than 0.76 mm;

each of said two sheets of glass has a thickness of from 1.5 to 3 mm; and

each of said two sheets of glass has a core compressive stress in the central zone ranging from 20 to 50 MPa; and

said glazing, in a non-intact and bent state, has a Triplex Laceration Index of 7 or less.

Claims 13-14 (Canceled)

Claim 15 (Previously Presented): The method of Claim 12, wherein said intercalary adhesive layer has a thickness of not more than 2 mm.

Claim 16 (Previously Presented): The method of Claim 15, wherein said intercalary adhesive layer has a thickness of not more than 1.90 mm.

Claim 17 (Previously Presented): The method of Claim 15, wherein said intercalary adhesive layer has a thickness of not more than 1.53 mm.

Claim 18 (Currently Amended): The method of Claim 12, wherein said intercalary adhesive layer ~~is composed of~~ comprises one or more layers of plastic, wherein said plastic is selected from the group consisting of polyvinylbutyral, polyurethane, RIM polyurethane, polycarbonate, poly(methyl methacrylate), polypropylene, ethylene-vinyl acetate copolymer, cycloolefinic copolymer, polyethylene, thermoplastic polyester, unsaturated heat-hardening polyester, acrylic resin, and vinyl chloride-glycidyl methacrylate copolymer.

E
Claim 19 (Currently Amended): The method of Claim 18, wherein said intercalary adhesive layer comprises said polyurethane; and said polyurethane is a thermoplastic polyurethane.


Claim 20 (Currently Amended): The method of Claim 18, wherein said intercalary adhesive layer comprises said polyethylene; and said polyethylene is in the form of a ionomer resin.

Claim 21 (Previously Presented): The method of Claim 20, wherein said ionomer resin is a (meth)acrylic acid and ethylene copolymer.

Claim 22 (Currently Amended): The method of Claim 18, wherein said intercalary adhesive layer comprises said thermoplastic polyester; and said thermoplastic polyester is a poly(ethylene terephthalate).

Claims 23-25 (Canceled)

Claim 26 (Previously Presented): The method of Claim 12, wherein said anti-laceration glazing comprises at least one functional layer.

 Claim 27 (Previously Presented): The method of Claim 12, wherein at least one of the outer faces of the anti-laceration glazing comprises a plastic sheet.

Claim 28 (Previously Presented): An anti-laceration automobile side window glazing produced by the method of Claim 12.

Claim 29 (Previously Presented): An automobile comprising the anti-laceration automobile side window glazing of Claim 28.
